

Material Safety Data Sheet

Section 1 Product Identification

Product Name: **Cherry Spray Shine**
 Formula type: Oil/water emulsion

Manufacturer's Name:
 Chem-Tech, Inc.
 6551 Jansen Avenue NE – Suite 106
 Albertville, MN 55301

Emergency Telephone: 1-800-535-5053
 Information: 1-763-417-1380
 Fax: 763-417-1389

Section 2 Hazardous Ingredients

<u>Chemical Name</u>	<u>CAS#</u>	<u>%</u>	<u>Threshold Limit Value</u>	<u>Permissible Exposure Limit</u>
Water	7732-18-5			
Mineral seal oil	64741-44-2	15-25	Mist 5 mg/m ³ 8 hrs	Mist 5 mg/m ³ 8 hrs
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	68604-75-1	10-20	NE	NE
Glycol ether EB	111-76-2	1-3	25 ppm (skin)	25 ppm (skin)

Balance of ingredients are not hazardous as defined by OSHA

Section 3 Physical Data

Form:	Liquid	pH as is:	6.0 - 7.0
Color:	Red	pH (1% vol):	7.0 - 8.0
Odor:	Cherry	Solubility in Water:	Moderate
Specific Gravity (Water = 1):	0.94 - 0.98	Vapor Density (Air = 1):	>1
Boiling Point °F:	greater than 212	% VOC:	23 - 28
Evaporation Rate (Water = 1):	similar to water	Vapor pressure:	similar to water

Section 4 Fire and Explosion Information

Flash Point (Method) F:	greater than 200F Cleveland Open Cup
Autoignition temperature:	490° F
Explosive Limits:	Upper: 6.0% Lower: 0.7% (% by volume)
Unusual Fire and Explosion Hazards:	Can form combustible mixtures with air when heated. Containers may melt or rupture from the heat of a fire. Fumes, smoke, and carbon monoxide are products of combustion.
Extinguishing Agents:	Carbon dioxide, dry chemical, or foam. Water stream may spread fire, use water spray only to cool containers exposed to fire. If leak or spill has not ignited, use water spray to disperse the vapors.
Fire fighting methods:	Evacuate area and fight fire from a safe distance. If leak or spill has not ignited, ventilate area and use water spray to disperse gas or vapor and to protect personnel attempting to stop a leak. Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible. Stay away from storage tank ends. Withdraw immediately in case of rising

Fire fighting methods continued: sound from venting safety devices or any discoloration of storage tank due to fire. Fire fighters must wear MSHA/NIOSH approved positive pressure breathing apparatus with full face mask and full protective equipment.

Section 5 Health Hazard Data - Signs and Symptoms of Overexposure:

Probable Routes of Entry: Inhalation, eyes, skin

Eyes: Severe irritation, tearing

Skin: Irritation, redness or dryness upon prolonged contact

Inhalation: Headache, nasal and respiratory irritation, nausea, drowsiness, fatigue, and central nervous system depression.

Ingestion: Headache, nausea, drowsiness, fatigue, pneumonitis, pulmonary edema, central nervous system depression. Aspiration hazard.

Medical Conditions Aggravated by Exposure: Pre-existing skin disorders or abrasions.

Section 6 Emergency First Aid Procedures

Eyes: Immediately flush eyes with cool running water for at least 15 minutes. Remove contact lenses. If irritation develops, obtain medical aid.

Skin: Wash skin with cool water and soap. Obtain medical aid if irritation develops. Remove contaminated clothing and laundry.

Inhalation: Remove to fresh air. Monitor breathing. Obtain immediate medical aid. Administer CPR if needed.

Ingestion: Drink 1-2 large glasses of milk or water. Obtain immediate medical aid or call poison control. Do not induce vomiting unless directed by a physician. During vomiting there is a danger of aspirating liquid into lungs, causing serious damage and chemical pneumonitis. If spontaneous vomiting occurs, keep head below hips to prevent aspiration and monitor for breathing difficulty. Gastric lavage should be performed only by qualified medical personnel. Keep affected person warm and at rest. Seek immediate medical attention or call 911.

Section 7 Reactivity Data

Stability: Stable under normal ambient storage conditions

Incompatibility: Strong oxidizing agents, alkalis, and acids

Hazardous Decomposition Products: Incomplete combustion can yield carbon monoxide and various hydrocarbons.

Hazardous Polymerization: Will not occur

Section 8 Spill & Leak Procedures

Procedures for Cleanup: Wear safety equipment. For small spills, mop up and rinse with water.

Large Spills: For large spills, area will be slippery. Eliminate flames and ignition sources. Dike product with sand or dirt. Keep out of surface waters. Salvage for reuse if possible. Otherwise place into suitable container for disposal. Inform local pollution officials of spill. Spill may be considered RCRA hazardous if contaminated. Call local regulatory agency.

Waste Disposal: Dispose in accordance with federal, state and local regulations. Waste may be subject to RCRA regulation.

Section 9 Special Protection Information

Ventilation Type Required: General ventilation to keep oil mists below exposure limits

Protective Gloves: Rubber, neoprene, and nitrile

Respiratory Protection:	Not necessary under normal use conditions and ventilation. If mists are generated, wear NIOSH respirator for organic vapors.
Eye Protection:	Goggles or splash-proof glasses
Other Equipment:	Eye wash station. Rubber boots for spill cleanup.

Section 10 Special Precautions

Product should be stored between 30 and 110°F. Store out of direct sunlight. Keep away from flames, sparks or hot surfaces. Keep out of reach of children. Keep container closed when not in use. For industrial and institutional use only. Mix only with water. Thoroughly rinse empty containers before disposal. Use only in well ventilated area. Do not breathe vapors. Wash hands thoroughly after handling.

Section 11 Toxicity Data

Toxicity:

<u>Ingredient</u>	<u>LD50 – Oral Rat</u>	<u>LD50 – skin absorption Rabbit</u>	<u>LC50 - Inhalation</u>	<u>Effects</u>
Mineral seal oil	> 5000 mg/kg	> 2000 mg/kg	> 5200 mg/L, 4 hrs (rat)	Eye irritant, skin irritant
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	1 - 2 gm/kg	ND	ND	Primary irritation index skin = 5.5
Glycol ether EB	470 mg/kg (rat)	220 mg/kg	450 ppm/4 hr (rat)	ND

Carcinogenicity:

<u>Ingredient</u>	<u>NTP</u>	<u>IARC</u>	<u>OSHA</u>
Mineral seal oil	No	No	No
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	No	No	No
Glycol ether EB	No	No	No

Other effects:

<u>Ingredient</u>	<u>Reproductive Toxicity</u>	<u>Teratogenicity</u>	<u>Mutagenicity</u>
Mineral seal oil	ND	ND	ND
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	ND	ND	ND
Glycol ether EB	See note below	Laboratory animals effected	ND

Note: Glycol ether EB – inhalation exposure to pregnant rabbits caused some toxicity of mother and fetus at 200 ppm, but no effects at 100 ppm. Rat studies indicate the rat kidneys may be the target organs for over exposure, but rat liver changes may also be evident. There is no evidence that this occurs in humans.

Section 12 Ecological Information**Ingredient**

Mineral seal oil	Biodegradation is possible within 90 to 120 days in aerobic environments above 70°F. Can kill grasses and small plants. Not toxic to fish but may coat gill structures resulting in suffocation. Moderately toxic to amphibians. May cause gastrointestinal distress to birds and mammals through ingestion.
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	The components of this product are ultimately biodegradable. 52% DOC removal, 28 days, Zahn Wellens (OECD 302B).
Glycol ether EB	Moderately biodegradable / BCF <100 / when released into air, half life expected to be less than 1 day / LC50/96 hr values for fish are >100 mg/l / not expected to be toxic to aquatic life.

Section 13 Hazard Rating - HMIS

0 = minimal 1 = slight 2 = moderate 3 = serious 4 = severe

Health: 2 Reactivity: 0 Fire: 1 Personal protection equipment: B (gloves and glasses)

Section 14 Regulatory Information**• Chemical Inventory Status - part 1 •****Ingredient**

	TSCA	EC	Japan	Australia
Mineral seal oil	Yes	ND	ND	ND
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	Yes	ND	ND	ND
Glycol ether EB	Yes	Yes	Yes	Yes

• Chemical Inventory Status – part 2 •**Ingredient**

	Korea	-----Canada-----		Philippines
		DSL	NDSL	
Mineral seal oil	ND	Yes	No	ND
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	ND	Yes	No	ND
Glycol ether EB	Yes	Yes	No	Yes

• Federal, State & International Regulations – part 1 •

Ingredient	---- SARA 302 ----		----- SARA 313 -----	
	RQ	TPQ	List	Chemical Catg.
Mineral seal oil	No	No	No	No
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	No	No	No	No
Glycol ether EB	No	No	Yes	Glycol ethers

• Federal, State & International Regulations – part 2 •**Ingredient**

	CERCLA	RCRA 261.33	TSCA 8(d)
Mineral seal oil	No	No	ND
Fatty acids, coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized	No	ND	ND
Glycol ether EB	No	No	Yes

Chemical Weapons Convention: No **TSCA 12(b):** No **CDTA:** No

SARA 311/312: **Acute:** Yes **Chronic:** No **Fire:** No **Pressure:** No


Reactivity: No

Section 15 Shipping Name:

Not regulated. Cleaning Compound

Section 16 WHMIS

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

<u>Class</u>	<u>Description</u>	<u>Symbol</u>
D2B	Toxic Material (Irritant)	

Section 17 Documentary Information

Date issued:	11-21-06	Supersedes:	1-17-06	Reason for update:	Total update
Prepared by:	S. VanGrasstek	Title:	Chem-Tech Lab Manager	Phone:	763-417-1380

ABBREVIATIONS:

NE = NOT ESTABLISHED

NDA = NO DATA AVAILABLE

> = GREATER THAN

<= LESS THAN

BCF = BIOCONCENTRATION FACTOR

ND = NO DATA

The data and recommendations presented herein are based upon our research and the research of others, and are believed to be accurate. However, no warranty of guarantee of their accuracy is made; and the products are distributed without any warranty, expressed or implied, including the limited warranties of merchantability of fitness for a particular purpose. The supplier makes no warranties, expressed or implied to the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, adequacy or furnishing of such information. Employers should use this information only as a supplement to other information and must make independent determinations of suitability to assure proper use, safety, and health of employees.