

Material Safety Data Sheet

Section 1 Product Identification

Page 1

Product Name: Power Clean
 Formula type: alkaline liquid detergent and solvent system

Manufacturer's Name:

Chem-Tech, Inc.
 6551 Jansen Avenue NE – Suite 106
 Albertville, MN 55301

Emergency Telephone: 1-800-535-5053
 Information: 1-763-417-1380
 Fax: 763-417-1389

Section 2 Hazardous Ingredients

<u>Chemical Name</u>	<u>CAS#</u>	<u>%</u>	<u>Threshold Limit Value</u>	<u>Permissible Exposure Limit</u>
Sodium Metasilicate	6834-92-0	1-5	2 mg/m ³ dust	NDA
Glycol ether EB	111-76-2	5-10	25 ppm skin	25 ppm skin
Paraffinic, Napthenic Solvent	64742-47-8	5-10	NDA	100 ppm for 8 hr /TWA
Pine oil	8002-09-03	1-5	NDA	NDA
d-Limonene	59-89-275	1-5	NDA	NDA
Nonylphenol ethoxylate	9016-45-9	1-5	NE	NE
Cocamide DEA	68603-42-9	1-5	NE	NE

Balance of ingredients are not hazardous as defined by OSHA

Section 3 Physical Data

Form:	Liquid	pH as is:	11.2-11.6
Color:	Blue	pH (1% vol):	9.0-9.4
Odor:	Pine	Solubility in Water:	Complete
Specific Gravity (Water = 1):	1.04-1.08	Vapor Density (Air = 1):	> 1
Boiling Point °F:	Approx. 212	% VOC:	12
Evaporation Rate (Water = 1):	<1	Vapor pressure:	0.46 mm Hg @ 100° F

Section 4 Fire and Explosion Information

Flash Point (Method) F: 170F Cleveland Open Cup / 137F Pensky Martens Closed Cup (combustion not sustainable)

Unusual Fire and Explosion Hazards: High temperatures may create heavy flammable vapors that may settle along ground level and low spots to create an invisible fire hazard.

Extinguishing Agents: Foam, carbon dioxide, dry chemical, water fog, water

Fire fighting methods: Evacuate area and fight fire from a safe distance. If leak or spill has not ignited, ventilate area and use water spray to disperse gas or vapor and to protect personnel attempting to stop a leak. Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible. Stay away from storage tank ends. Withdraw immediately in case of rising sound from venting safety devices or any discoloration of storage tank due to fire. Fire fighters must wear MSHA/NIOSH approved positive pressure breathing apparatus with full face mask and full protective equipment.

Section 5 Health Hazard Data - Signs and Symptoms of Overexposure:

Probable Routes of Entry: Eyes, skin, inhalation

- Eyes:** Direct contact will cause severe irritation and burns if not properly treated. Effects may range from mild to irreversible damage depending upon length of exposure, solution concentration and first aid measures.
- Skin:** This product contains materials that can cause skin irritation. Prolonged or repeated contact may result in severe irritation.
- Inhalation:** Overexposure by inhalation of misted product may lead irritation in respiratory tract. Caution should be taken to prevent atomizing or misting of this product without proper respiratory protection.
- Ingestion:** Ingestion is not expected to be a primary route of exposure. Do not ingest. Material may cause damage to mouth, throat and stomach. Note: Aspiration is a secondary hazard and should be expected. Product will attack lining of esophagus and stomach.

Medical Conditions Aggravated Pre-existing skin disorders or abrasions.
by Exposure:

Section 6 Emergency First Aid Procedures

- Eyes:** Check for and remove contact lenses. Flush immediately with copious amounts of water for 15 minutes while holding eyelids apart to ensure complete irrigation of eye and eyelid tissues. Take exposed individual immediately to a health care professional, preferably an ophthalmologist, for emergency first aid and further evaluation.
- Skin:** Remove contaminated clothing. Immediately wash exposed area with copious amounts of water. Repeat washing. If redness or irritation occurs, seek immediate medical attention. Launder contaminated clothing before reuse.
- Inhalation:** If exposure by inhalation is suspected, immediately move exposed individual to fresh air. If individual experiences nausea, headache, dizziness, has difficulty breathing or is cyanotic, seek a health care professional immediately. Administer CPR if necessary.
- Ingestion:** Drink 1-2 large glasses of milk or water. Obtain immediate medical aid or call poison control. Do not induce vomiting unless directed by a physician. During vomiting there is a danger of aspirating liquid into lungs, causing serious damage and chemical pneumonitis. If spontaneous vomiting occurs, keep head below hips to prevent aspiration and monitor for breathing difficulty. Gastric lavage should be performed only by qualified medical personnel. Keep affected person warm and at rest. Seek immediate medical attention or call 911.

Section 7 Reactivity Data

- Stability:** Stable at room temperature (68F) when stored and used under proper conditions.
- Incompatibility:** Avoid contact with acids and oxidizing materials.
- Hazardous Decomposition Products:** Smoke, carbon dioxide, carbon monoxide
- Hazardous Polymerization:** Will not occur.

Section 8 Spill & Leak Procedures

- Procedures for Cleanup:** Wear protective gear. Small spills: Mop thoroughly and rinse with water.
- Large Spills:** Evacuate area. Eliminate ignition sources. Block potential routes to water systems (sewers, streams, etc.) with inert material such as sand or dirt. Salvage for reuse if possible. Place into disposal containers. Wash down affected areas with clear water. May be RCRA regulated. Call local Emergency Response agency to report spill.
- Waste Disposal:** Contact the proper county, state or federal authorities. May be RCRA regulated.

Section 9 Special Protection Information

Ventilation Type Required:	Use adequate ventilation when working with material in an enclosed area. Mechanical methods such as fume hoods or area fans may be used to reduce localized vapor/mist areas. If vapor or mist is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure.
Protective Gloves:	Impervious gloves such as neoprene or nitrile rubber to avoid skin sensitization and absorption.
Respiratory Protection:	None required if airborne concentrations are maintained below threshold limits. Where misting and vapors may occur, wear an MSHA/NIOSH approved half mask form organic vapor air purifying respirator.
Eye Protection:	Eye protection must be worn. Wear safety glasses with side shields or vented splash proof goggles.
Other Equipment:	Water source for eye and skin wash. Rubber boots to keep feet dry

Section 10 Special Precautions

Product should be stored between 40 and 95°F. Store out of direct sunlight. Keep out of reach of children. Keep container closed when not in use. For industrial and institutional use only. Mix only with water. Thoroughly rinse empty containers before disposal. Use only in well ventilated area. Do not breathe vapors. Wash hands thoroughly after handling.

Section 11 Toxicity Data**Toxicity:**

<u>Ingredient</u>	<u>LD50 - Oral</u>	<u>LD50 – skin absorption rabbit</u>	<u>LC50 - Inhalation</u>	<u>Effects</u>
Sodium Metasilicate	1153 mg/kg (rat)	ND	ND	Corrosive
Glycol ether EB	470 mg/kg (rat)	220 mg/kg	450 ppm/4 hr (rat)	ND
Paraffinic, Napthenic Solvent	> 5 g/kg (rat)	2.0-4.0 g/kg	2 mg/l at 4 hr: No toxicity in rats	Irritant
Pine oil	4390 mg/kg (rat)	>3000 mg/kg	ND	
d-Limonene	>5 gm/kg (rat)	>5 gm/kg	RD50 > 1000	Severe eye irritant
Nonylphenol ethoxylate	ND	ND	ND	ND
Cocamide DEA	12400 µL/kg	Moderate irritation	ND	Minimal eye irritation

Carcinogenicity:

<u>Ingredient</u>	<u>NTP</u>	<u>IARC</u>	<u>OSHA</u>
Sodium Metasilicate	No	No	No
Glycol ether EB	No	No	No
Paraffinic, Napthenic Solvent	No	No	No
Pine oil	No	No	No
d-Limonene	No	No	No
Nonylphenol ethoxylate	No	No	No
Cocamide DEA	ND	ND	ND

Other effects:

<u>Ingredient</u>	<u>Reproductive Toxicity</u>	<u>Teratogenicity</u>	<u>Mutagenicity</u>
Sodium Metasilicate	ND	ND	ND
Glycol ether EB	See note below	Laboratory animals effected	ND
Paraffinic, Napthenic Solvent	No	No	No
Pine oil	ND	ND	ND
d-Limonene	No	No	No
Nonylphenol ethoxylate	ND	ND	ND
Cocamide DEA	ND	ND	ND

Note: Glycol ether EB – inhalation exposure to pregnant rabbits caused some toxicity to mother and fetus at 200 ppm, but no effects at 100 ppm. Rat studies indicate the rat kidneys may be the target organs for over exposure, but rat liver changes may also be evident. There is no evidence that this occurs in humans.

Section 12 Ecological Information**Ingredient**

Sodium Metasilicate	Breaks down to mineralized materials
Glycol ether EB	Moderately biodegradable / BCF <100 / when released into air, half life expected to be less than 1 day / LC50/96 hr values for fish are >100 mg/l / not expected to be toxic to aquatic life.
Paraffinic, Napthenic Solvent	Inherently biodegradable Ecotoxicological information: ND
Pine oil	Biodegradable / may be toxic to aquatic organisms
d-Limonene	May be toxic to aquatic organisms
Nonylphenol ethoxylate	Biodegradable
Cocamide DEA	Readily biodegradable

Section 13 Hazard Rating - HMIS

0 = minimal 1 = slight 2 = moderate 3 = serious 4 = severe

Health: 2 Reactivity: 0 Fire: 2 Personal protection equipment: B (gloves and glasses)

Section 14 Regulatory Information**• Chemical Inventory Status - part 1 •**

<u>Ingredient</u>	<u>TSCA</u>	<u>EC</u>	<u>Japan</u>	<u>Australia</u>
Sodium Metasilicate	Yes	Yes	Yes	Yes
Glycol ether EB	Yes	Yes	Yes	Yes
Paraffinic, Napthenic Solvent	Yes	Yes	Yes	Yes
Pine oil	Yes	ND	ND	ND
d-Limonene	Yes	Yes	Yes	Yes
Nonylphenol ethoxylate	Yes	Yes	Yes	Yes
Cocamide DEA	Yes	Yes	Yes	Yes

	Korea	DSL	NDSL	Philippines
Sodium Metasilicate	Yes	Yes	Yes	Yes
Glycol ether EB	Yes	Yes	Yes	Yes
Paraffinic, Napthenic Solvent	ND	Yes	No	ND
Pine oil	ND	Yes	ND	ND
d-Limonene	Yes	Yes	ND	ND
Nonylphenol ethoxylate	Yes	Yes	No	Yes
Cocamide DEA	Yes	Yes	No	Yes

• **Federal, State & International Regulations – part 1 •**

Ingredient	--- SARA 302 ---		----- SARA 313 -----	
	RQ	TPQ	List	Chemical Catg.
Sodium Metasilicate	No	No	No	No
Glycol ether EB	No	No	Yes	Glycol ethers
Paraffinic, Napthenic Solvent	No	No	No	No
Pine oil	No	No	No	No
d-Limonene	No	No	No	No
Nonylphenol ethoxylate	No	No	No	No
Cocamide DEA	No	No	No	No

	CERCLA	RCRA 261.33	TSCA 8(d)
Sodium Metasilicate	No	No	No
Glycol ether EB	No	No	Yes
Paraffinic, Napthenic Solvent	No	No	No
Pine oil	No	No	No
d-Limonene	No	No	No
Nonylphenol ethoxylate	No	No	No
Cocamide DEA	No	No	No

Chemical Weapons Convention: No **TSCA 12(b):** No **CDTA:** No

SARA 311/312: **Acute:** Yes **Chronic:** No **Fire:** No **Pressure:** No



Reactivity: No

Section 15 Shipping Name:

Not regulated. Cleaning Compound

Section 16 WHMIS

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Class	Description	Symbol
B3	Combustible Liquid	
D2B	Toxic Material - irritant	

Section 17 Documentary Information

Date issued: 11-21-06 Supercedes: 10-12-06 Reason for update: Total update
Prepared by: S. VanGrasstek Title: Chem-Tech Lab Manager Phone: 763-417-1380

ABBREVIATIONS:

NE = NOT ESTABLISHED

> = GREATER THAN

BCF = BIOCONCENTRATION FACTOR

NDA = NO DATA AVAILABLE

<= LESS THAN

ND = NO DATA

The data and recommendations presented herein are based upon our research and the research of others, and are believed to be accurate. However, no warranty of guarantee of their accuracy is made; and the products are distributed without any warranty, expressed or implied, including the limited warranties of merchantability of fitness for a particular purpose. The supplier makes no warranties, expressed or implied to the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, adequacy or furnishing of such information. Employers should use this information only as a supplement to other information and must make independent determinations of suitability to assure proper use, safety, and health of employees.